



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

May 5, 2011

Marc F. Malooley  
Brooks Kushman P.C.  
1000 Town Center, 22<sup>nd</sup> Floor  
Southfield, MI 48075-1238

Patent No: 7,905,107 B2  
Application No: 10/500,053  
Applicant: Mordechai Forkosh, et al.  
Issued: March 15, 2011  
Title: **HIGH EFFICIENCY DEHUMIDIFIERS AND COMBINE DEHUMIDIFYING/AIR-CONDITIONING SYSTEMS**

Request for Certificate of Correction:

Consideration has been given to your request for the issuance of a certificate of correction for the above- identified patent under the provisions of Rule 1.322.

The error purported to be in column 13, line 44 cannot be found in the printed patent.

In view of the foregoing your request in this matter is hereby **denied**.

Further correspondence concerning this matter should be directed to Decisions and Certificate of Correction Branch.

/Virginia Tolbert/  
Virginia Tolbert  
For Mary Diggs, Supervisor  
Decisions and Certificate of Correction  
(571) 272-0460

vt